LEGEND Everleigh QMS Certification Services Proposed Earthworks Pad RL XX.XX Finished Pad Design Level (Not all items in this legend may be relevant to the lot shown hereon) Retaining Wall in Lot 1138 0.5m Max Height: Min Height: 0.0m TEAL CIRCUIT Average Height: 0.25m 1123 RL 58.85 BOULEVARD Retaining Wall on Boundary Max Height: 1.55m Min Height: 1.35m Average Height: 1.45m Retaining Wall in Lot 1138 Max Height: Min Height : Average Height: 1.0m 482 m2 1124 SEL RL 59.05 S X E 1137 Retaining Wall on Boundary Retaining Wall on Boundary Max Height: (Front of Lot Transition) RL 57.15 Min Height: 0.65m Max Height: 0.65m Average Height: 0.65m Min Height: 0.0mAverage Height: 0.33m SCALE @A3 1:200 - LENGTHS ARE IN METRES 16



This plan has been prepared from preliminary survey plan (SP300871) and engineering plans & mark-ups provided on the 25/01 & 12/04/18 by Premise Engineering Pty Ltd.

Development approval was granted for this subdivision (DEV2016/768) by the Minister for Economic Development Queensland (20/03/18).

The relevant authorities have granted operational works approval, for the proposed lot.

All fill shall be placed and compacted in a controlled manner so that Level 1 level of responsibility may be achieved and certified as per AS3798-2007.

Extent of retaining walls shown indicatively only. Retaining walls may not extend the full length of a lot boundary where finished level between allotments is less than 0.5m.

The purchaser should refer to the applicable development approvals for building and/or other requirements that may be applicable to the lot.

Parts of this lot may be subject to rip and re-compact earthwork procedures as determined by site conditions. This process may be completed in cut locations to assist the house pad construction. Any re-compaction will comply with AS3798 requirements and certified by a third party company.

Fill placed between proposed tiered retaining walls will generally be equal to the height of the top of the bottom retaining wall.

Issues	No.	by	Date	Description
	Α	TBG	17/04/18	Original Issue



Saunders Havill Group Pty Ltd ABN 24 144 972 949 Brisbane Emerald Rockhampton head office 9 Thompson St Bowen Hills Q 4006 phone 1300 123 SHG web www.saundershavill.com

This Disclosure Plan is prepared for the sole purpose of satisfying the disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly as-constructed purposes. This information is compiled from design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

Disclosure Plan for Proposed Lot 1138 on SP300871

Described as part of Lot 2 on SP297192 Existing Title Reference: 51103071

Area of Fill

Area of Cut

Design Contours

- - Depth of Fill Contours Proposed Retaining Wall

XX.XX Finished Surface Design Level

Proposed Tiered Retaining Wall

Locality of Greenbank (Logan City Council)

Level Datum: AHD der. Origin of Levels: PM61308 RL of Origin: 54.66 Contour Interval: 0.25m

Scale @A3 1: 200

Dwg No. 7598 S 13 DP A 1138