



NOTES

This plan has been prepared from preliminary survey plan (SP300871) and engineering plans & mark-ups provided on the 25/01 & 12/04/18 by Premise Engineering Pty Ltd.

Development approval was granted for this subdivision (DEV2016/768) by the Minister for Economic Development Queensland (20/03/18).

The relevant authorities have granted operational works approval, for the proposed lot.

All fill shall be placed and compacted in a controlled manner so that Level 1 level of responsibility may be achieved and certified as per AS3798-2007.

Extent of retaining walls shown indicatively only. Retaining walls may not extend the full length of a lot boundary where finished level between allotments is less than 0.5m.

The purchaser should refer to the applicable development approvals for building and/or other requirements that may be applicable to the lot.

Parts of this lot may be subject to rip and re-compact earthwork procedures as determined by site conditions. This process may be completed in cut locations to assist the house pad construction. Any re-compaction will comply with AS3798 requirements and certified by a third party company.

Fill placed between proposed tiered retaining walls will generally be equal to the height of the top of the bottom retaining wall.

Issues	No.	by	Date	Description
	Α	TBG	17/04/18	Original Issue



Brisbane Emerald Rockhampton head office 9 Thompson St Bowen Hills Q 4006 phone 1300 123 SHG web www.saundershavill.com

🏿 surveying 🎜 town planning 🗗 urban design 🗗 environmental management 🗗 landscape architecture

NOT be used for any other purpose, particularly as-constructed purposes. This information is compiled from design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

Described as part of Lot 2 on SP297192 Existing Title Reference: 51103071

Locality of Greenbank (Logan City Council)

Level Datum: AHD der. Origin of Levels: PM61308 RL of Origin: 54.66 Contour Interval: 0.25m

Scale @A3 1: 200

Dwg No. 7598 S 13 DP A 1260