

		PF	RECI	NCT 9.1	1	
						mirvac
		ROAD				
		TEVIOT R				
		TEVIC				
				/ERLEIGI		
			I			
	Ν	10	⊂ TES			$\land \land \lor \land$
	 This plan has been prepared from preliminary survey plan (SP327532) and engineering plans provided on the 02/09/2021 by Premise Engineering Pty Ltd. Development approval was granted for this subdivision (DEV2020/1160) by the Minister for Economic Development Queensland on 26th of August 2021. The relevant authorities have granted operational works approval, for the proposed lot. The purchaser should refer to the applicable development approvals for building and/or other requirements that may be applicable to the lot. 					
	Extent of retaining walls shown indicatively only. Retaining walls may not extend the full length of a lot boundary where finished level between allotments is less than 0.5m.					
	Parts of this lot may be subject to rip and re-compact earthwork procedures as determined by site conditions. This process may be completed in cut locations to assist the house pad construction. Any re-compaction will comply with AS3798 requirements and certified by a third party company.					
			1	1	1	1
	S	No. A	by TBG	Date 14/09/21	Chkd CU	Description Original Issue
	Issues					
7532 <u>L</u>						vel Datum: AHD der. igin of Levels: PSM 203673
					RL	of Origin: 54.070
						ale @A3_1: 200
					 Dwg No. 7598 S 41 DP A_3052	