




Everleigh



ANDERSON DRIVE



PRECINCT 9.7



**Retaining Wall in Lot 3354
(Front of Lot Transition)**
Max Height : 0.3m
Min Height : 0.00m
Average Height : 0.15m

Retaining Wall in Lot 3354
Max Height : 0.30m
Min Height : 0.00m
Average Height : 0.15m

Retaining Wall in Lot 3354
Max Height : 0.77m
Min Height : 0.00m
Average Height : 0.39m

**Retaining Wall on Boundary
(Front of Lot Transition)**
Max Height : 0.8m
Min Height : 0.0m
Average Height : 0.4m

Retaining Wall on Boundary
Max Height : 0.8m
Min Height : 0.8m
Average Height : 0.8m

**Retaining Wall at Corner
Lot 3354, is 2.75m above
Lot 3338.**

Retaining Wall on Boundary
Max Height : 2.05m
Min Height : 2.05m
Average Height : 2.05m


3354
540 m²

3355

3339
SP3334725

3338
SP3334725

SCALE @A3 1:200 - LENGTHS ARE IN METRES



- LEGEND**
- Area of Fill
 - Area of Cut
 - Design Contours
 - Depth of Fill Contours
 - Retaining Wall
 - Tiered Retaining Wall
 - Earthworks Pad
 - Finished Pad Design Level
 - Finished Surface Design Level

(Not all items in this legend may be relevant to the lot shown hereon)

NOTES

This plan has been prepared from preliminary survey plan (SP334747) and engineering plans provided on the 06/02/2023 by Premise Civil Engineering Pty Ltd.
Development approval was granted for this subdivision (DEV2020/1160) by the Minister for Economic Development Queensland on 26th of August 2021.

The relevant authorities have granted operational works approval for the proposed lot.

The purchaser should refer to the applicable development approvals for building and/or other requirements that may be applicable to the lot.

Extent of retaining walls shown inductively only. Retaining walls may not extend the full length of a lot boundary where finished level between allotments is less than 0.5m.

Parts of this lot may be subject to rip and re-compact earthwork procedures as determined by site conditions. This process may be completed in cut locations to assist the house paid construction. Any re-compaction will comply with AS3798 requirements and certified by a third party company.

All fill shall be placed and compacted in a controlled manner so that Level 1 level of responsibility may be achieved and certified as per AS3798-2007.

No.	by	Date	Chkd	Description
A	MS	24/05/23	UMF	Original Issue

Level Datum: AHD der.
Origin of Levels: PSM 203673
RL of Origin: 54.070
Contour Interval: 0.25m
Scale @A3 1: 200
Dwg No. 7598 S 55 DP A_3354

Disclosure Plan for Proposed Lot 3354 on SP334747
Described as part of Lot 9003 on SP338104
Existing Title Reference: 51310820
Locality of Greenbank (Logan City Council)

This Disclosure Plan is prepared for the sole purpose of satisfying the disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly as-constructed purposes. This information is compiled from design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

Saunders Havill Group Pty Ltd ABN 24 144 972 949
Brisbane # Springfield # Rockhampton
head office 9 Thompson St Bowen Hills Q 4006
phone 1800 828 516 web www.saundershavill.com

