

Everleigh

Retaining Wall on Boundary

Average Height: 1.65m

1.55m

4397

4390

RL 51.45

4398

RL 49.60

Max Height : Min Height :

4391

410 m2


RL 51.45

This Disclosure Plan is prepared for the sole purpose of satisfying

the disclosure requirements of the Land Sales Act and SHOULD

4396

RL 50.00



NOTES

This plan has been prepared from preliminary survey plan (SP348245) and engineering plans provided on the 11/07/2024 by Premise Civil Engineering Pty Ltd.

The current development approval was granted for this subdivision (DEV2022/1277/7) by the Minister for Economic Development Queensland on 15th of December 2023.

The relevant authorities have granted operational works approval, for the proposed lot.

The purchaser should refer to the applicable development approvals for building and/or other requirements that may be applicable to the lot.

Extent of retaining walls shown indicatively only. Retaining walls may not extend the full length of a lot boundary where finished level between allotments is less than 0.5m.

Parts of this lot may be subject to rip and re-compact earthwork procedures as determined by site conditions. This process may be completed in cut locations to assist the house pad construction. Any re-compaction will comply with AS3798 requirements and certified by a third party company.


All fill shall be placed and compacted in a controlled manner so that Level 1 level of responsibility may be achieved and certified as per AS3798-2007.

Issues	No.	by	Date	Chkd	Description
	Α	MS	01/08/24	PS	Original Issue
					·

LEGEND Area of Fill Area of Cut **Design Contours** Depth of Fill Contours Retaining Wall Tiered Retaining Wall

Finished Pad Design Level XX.XX Finished Surface Design Level

(Not all items in this legend may be relevant to the lot shown hereon)



🚺 🍠 saunders havill group ø surveying ø town planning ø urban design ø environmental management ø landscape architecture

Saunders Havill Group Pty Ltd ABN 24 144 972 949 Brisbane / Springfield head office 9 Thompson St Bowen Hills Q 4006 phone 1300 123 SHG web www.saundershavill.com

4392

NOT be used for any other purpose, particularly as-constructed purposes. This information is compiled from design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

CANDY WAY

Disclosure Plan for Proposed Lot 4391 on SP348245

Described as part of Lot 9003 on SP348213 Existing Title Reference: 51351694

Locality of Greenbank (Logan City Council)

Level Datum: AHD der. Origin of Levels: PSM 203673 RL of Origin: 54.070 Contour Interval: 0.25m Scale @A3 1: 200

Dwg No. 7598 S 68 DP A 4391