




4M CLEARANCE (FROM THE PHYSICAL PAD MOUNT TRANSFORMER) IS REQUIRED TO AREAS FOR WHICH HUMAN OCCUPATION CAN BE EXPECTED FOR SIGNIFICANT TIMES SUCH AS BEDROOMS OR LIVING AREAS IN ORDER TO MANAGE AUDIBLE NOISE AND EMF.

Everleigh

PRECINCT 8.2



CINNAMON LANE

PAD MOUNT TRANSFORMER

Retaining Wall in Lot 4181
Max Height : 0.65m
Min Height : 0.00m
Average Height : 0.33m

9003 (Pt)

Retaining Wall on Boundary
Max Height : 1.60m
Min Height : 1.60m
Average Height : 1.60m

Retaining Wall in Lot 4181
(Front of Lot Transition)
Max Height : 0.50m
Min Height : 0.00m
Average Height : 0.25m

4181

635 m²

RL 63.25

Retaining Wall in Lot 4180
Max Height : 1.00m
Min Height : 1.00m
Average Height : 1.00m

4180

RL 60.85


Retaining Wall on Boundary
Max Height : 1.50m
Min Height : 1.50m
Average Height : 1.50m

Retaining Wall in Lot 4181
Max Height : 1.47m
Min Height : 0.50m
Average Height : 0.99m

Retaining Wall in Lot 4180
(Front of Lot Transition)
Max Height : 1.00m
Min Height : 0.00m
Average Height : 0.50m

- LEGEND**
- Area of Fill
 - Area of Cut
 - Design Contours
 - Depth of Fill Contours
 - Retaining Wall
 - Tiered Retaining Wall
 - Earthworks Pad
 - Finished Pad Design Level
 - Finished Surface Design Level
- (Not all items in this legend may be relevant to the lot shown hereon)

SCALE @A3 1:200 - LENGTHS ARE IN METRES



NOTES

This plan has been prepared from preliminary survey plan (SP348262) and engineering plans provided on the 23/07/2024 by Premise Civil Engineering Pty Ltd.

The current development approval was granted for this subdivision (DEV2022/12777) by the Minister for Economic Development Queensland on 15th of December 2023.

The relevant authorities have granted operational works approval for the proposed lot.

The purchaser should refer to the applicable development approvals for building and/or other requirements that may be applicable to the lot.

Extent of retaining walls shown indicatively only. Retaining walls may not extend the full length of a lot boundary where finished level between allotments is less than 0.5m.

Parts of this lot may be subject to rip and re-compact earthwork procedures as determined by site conditions. This process may be completed in cut locations to assist the house pad construction. Any re-compaction will comply with AS3798 requirements and certified by a third party company.

All fill shall be placed and compacted in a controlled manner so that Level 1 level of responsibility may be achieved and certified as per AS3798-2007.

| No. | by | Date | Chkd | Description |
|-----|----|----------|------|----------------|
| A | MS | 05/09/24 | PS | Original Issue |
| B | TG | 28/03/25 | TG | Emt removed |



Saunders Havill Group Pty Ltd ABN 24 144 972 949
Brisbane • Springfield
head office 9 Thompson St Bowen Hills Q 4006
phone 1300 123 SHG web www.saundershavill.com

■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly as-constructed purposes. This information is compiled from design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

Disclosure Plan for Proposed Lot 4181 on SP348262

Described as part of Lot 9003 on SP344914
Existing Title Reference: 51376504

Locality of Greenbank (Logan City Council)

Level Datum: AHD der.
Origin of Levels: PSM 203673
RL of Origin: 54.070
Contour Interval: 0.25m
Scale @A3 1: 200
Dwg No. 7598 S 70 DP B_4181