

			PF	RECINC	CT 8	.3		
rh						mirvac		
511								
	BURGUNDY BOULEVARD							
	AVENUE 2							
	NOTES							
	This plan has been prepared from preliminary survey plan (SP353603) and engineering plans provided on the 06/01/2025 by Premise Civil Engineering Pty Ltd.							
	The current development approval was granted for this subdivision (DEV2022/1277/7) by the Minister for Economic Development Queensland on 15th of December 2023.							
	The relevant authorities have granted operational works approval, for the proposed lot.							
	The purchaser should refer to the applicable development approvals for building and/or other requirements that may be applicable to the lot.							
	Extent of retaining walls shown indicatively only. Retaining walls may not extend the full length of a lot boundary where finished level between allotments is less than 0.5m.							
	Parts of this lot may be subject to rip and re-compact earthwork procedures as determined by site conditions. This process may be completed in cut locations to assist the house pad construction. Any re-compaction will comply with AS3798 requirements and certified by a third party company.							
	All fill shall be placed and compacted in a controlled manner so that Level 1 level of responsibility may be achieved and certified as per AS3798-2007.							
	Parts of Lot 4200 are subject to areas of fill less than 0.25m in depth.							
	_	No.	by	Date	Chkd	Description		
	sanes	A	MS	27/02/25	PS	Original Issue		
 22 24	s							
SP353603					Level Datum: AHD der. Origin of Levels: PSM 203673 RL of Origin: 54.070 Contour Interval: 0.25m			
						Scale @A3 1: 200		
						/g No. 7598 S 79 DP A_4200		